


# AC 175

Cummins  
Mecc Alte  
P 602



ISO8528

GC ; ) &

SZUTEST

GC - \$\$\$

CE

2000/14/EC

&\$\$\$#( #

z) \$ z'z' D:

	"	"	"	"	Amp
400/230	175,00	140,00	160,00	128,00	230,00

fPGE

GC ; ) &

) & z

fDF D

%\$1

% %&

GC " \$(\*\*

z&(

GC

## Standard Specifications

z

fl

!

E

z

z

## ALTERNATOR

## TRANSFER SWITCH

# AC 175

Cummins  
Mecc Alte  
P 602

Manufacturer		Cummins		
Model		6BTAA 5,9-G5		
		% \$\$\$ "# "		
		%* \$\$\$ "		
		Q% \$\$\$ < DQ		
	L	5,900		
	"	102 x 120		
		16,5:1		
	fl # ı	"# "	1500	
	fl ı	L	16,40	
		L	20,10	
AbsorbedAirDischargeReSourceKey.Text	' # "	12,42		
	' # "	264,00		
	' # "	32,46		
	° C	533,00		
		12 V d.c.		
	Load	% \$ı	'+)ı	) \$ı
	# "			
		37,00	29,00	19,00

		Mecc Alte
		ECP 34-3L14
	Hz	50
	"	160,00
7 cg'		0,80
		3
	ıfl ı	400/230
Temperature		H

		ıfl ı		ıfl ı	
	"	"	"	"	L
AC 175	1460,00	2314,00	1150,00	1661,00	380,00
		ıfl ı		ıfl ı	
	"	"	"	"	L
AK 50	1890	3402	1160	1866	380

# AC 175

Cummins  
Mecc Alte  
P 602

## 1 D \* \$ & !



- 1 A U]b'gUhi g'X]gd'Umf
- 2 8]gd'UmgVfc''Vi hrcb"
- 3 DU[ Yf]bZcfa Uhjcbk'Vi hrcb"
- 4 7 ca a cb U'Ufa ']bX]WUrcf"
- 5 GHUhi g'@98fg"
- 6 C dYfU]hcb'gY'YVW]b[ 'Vi hrcbg"

8G9ža cXY''\$&\$'5i hc' A U]bg: U]i fy Vëbfc''a cXi 'Y'  
6UHYfmVUf[ Yf]'bdi h%, !&\*( 'j c'hžci rdi h''&+ž' J ) '5'f&( 'J Ecf'% ž 'J c'h) 5'f&J k  
9a Yf[ YbVhgrcd' di g\ 'Vi hrcb'UbX ž gYg ZcfVëbfc' 'VfVW ]rg"

7 ca dcbYbrg ]bghU''YX ]b'g\YYhgHY''YbWcgi fy''D\cgd\UHY'WYa ]WždfY!VëUh]b[ 'cZghYY'dfcj ]XYg Vëffcg]cb  
fyg]ghUbhgi fZUW''Dc'mYgYfVëa dcg]Y' dck XYf'rcdVëUhZcfa g\][ \ [ 'cgg'UbX'Yi fYa Y'mXi fUV'Y ž]b]g\''@cV\UV'Y  
UbX\]b[ YX'dUbY'Xccf' dfcj ]XYg YUgmUWV'gg hc' 'Vëa dcbYbrg"

'7 cblfc''dUbY''j]g'a ci bHYX'cb VUgYZUa Y k ]h' ghY''ghUbX''@cWUHY'UhH'Y'f[ \hig]XY'cZH'Y [ YbYfUrcf'gyhfK \Yb'mci  
'cc\_'UhH'Y; Yb''GYH'Zca '5'fYfbUrcf k

H\Y''8G9''\$&\$'j'g'U'ghUbXUfX Vëbfc''a cXi 'Y'Zc'f'ci f [ YbYfUrcf'gYhg'i d'hc'&\$\$\_J 5'UbX'ih\Ug'VYYb'XYg][ bYX'hc  
ghUfhUbX'ghcd'X]YgY'UbX'[ Ug[ YbYfUrcf'gYhg''H\Y'8G9''\$&\$'a cXi 'Y'\Ug'VYYb'XYg][ bYX'hc'a cb]rcf [ YbYfUrcf  
ZYei YbVhžj c'žW'fYbžYb[ ]bY'c' d'fYggi fyžVëc'UbhY'a dYfUhi fy'fi bb]b[ \ci fg'UbX'VUHY'fmj'c'hg''A cXi 'Y  
a cb]rcf'g'h'Y'a U]bg'gi dd'mUbX'gk ]H\ 'c] Yf'hc' h'Y [ YbYfUrcf'k \Yb'h'Y'a U]bg'dck Yf'ZU]g''H\Y'8G9''\$&\$'U'gc  
]bX]WUHY'g'cdYfU]hcbU'ghUhi g'UbX'ZU'i h'VëbX]hcbgž'5i hca U]hW'mg\i h]b[ 'Xck b'h'Y; Yb''GYhUbX'[ ] ]b[ 'f'i Y'žfghi d  
ZU'i h'VëbX]hcb'cZ; Yb''GYhZU]i fy''H\Y '@8'X]gd'Um]bX]WUHY'g'h'Y'ZU'i 'H'

A ]Wëd'fcW'ggcf'Vëbfc''YX"  
@7 8'X]gd'Uma U\_Yg ]bZcfa Uhjcb'YUgmhc'fYUX"  
(! ]bYž\*( '1' % & d] Y'X]gd'Umf  
5i hca U]hW'mifUbgZ'fg'VYk'YYb'a U]bg'fi h]h'hc'UbX [ YbYfUrcf'dck Yf'  
A Ubi U'dfc[ fUa a ]b[ 'cb'ZcbhdUbY''  
I gYf]Z]YbX'mgYH'i d'UbX'Vi hrcb''Urci' H'  
F Ya chY'ghUfH'  
9j Ybh'c[ [ ]b[ ''f] h'g\ck ]b[ 'XUHY'UbX'h'a Y''  
7 cblfc'g' Ghcd#F YgYž'A Ubi U'ž5i hcžHYg]žGHUf]žVi hrcbg''5b'UXX]hcbU'di g\ 'Vi hrcb'bYI hrc' h'Y '@7 8'X]gd'Um]g  
i gYX'hc'gVfc''h'fci [ \ h'Y'a cXi 'Ygfa YH'f]b[ 'X]gd'Umg"

AC 175

Cummins  
Mecc Alte  
P 602

9B: #9  
9b[ ]bY'gdYYX"  
C]'dfYggi fY"  
7cc'UbhY'a dYfUhi fY"  
F i b' hja Y"  
6UHYfmj c'rg"  
7cbZ[ i fUVY' hja ]b[ "  
; 9B9F 5HCF  
J c' hU[ Y f@ @B' "  
7i ffYbhf@&!@ ' "  
: fYei YbVW"  
A 5-BG  
J c' hU[ Y f@ @B' "  
: fYei YbVW"  
A U]bg'fYUXn'  
A U]bg'YbUV'YX"  
; Yb"GYhfYUXn'  
; Yb"GYhYbUV'YX"

K 5F B-B;  
7\Uf[ Y Z]i fY"  
6UHYfm@ck #:[ \ ] c' hU[ Y"  
: U] 'hc' ghcd"  
@ck #:[ \ ] [ YbYfUhc'f] c' hU[ Y"  
I bXYf#j Yf[ YbYfUhc'f ZYei YbVW"  
Cj Yf# bXYf'gdYYX"  
@ck c]'dfYggi fY"  
<][ \ V'c'UbhY'a dYfUhi fY"  
G<I H8CK BG  
: U] 'hc' gUff"  
9a Yf[ YbVW'ghcd"  
@ck c]'dfYggi fY"  
<][ \ V'c'UbhY'a dYfUhi fY"  
Cj Yf# bXYf'gdYYX"  
I bXYf#j Yf[ YbYfUhc'f ZYei YbVW"  
I bXYf#j Yf[ YbYfUhc'f] c' hU[ Y"  
C]'dfYggi fY'gYbgcf'cdYb"  
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"  
9@97 HF =75@HF -D  
: YbYfUhc'f] YfW'ffYbh'


: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k ]h' h'Ya dYfUhi fYz  
dfYggi fYz dYfVW'bhU[ Y f'k Ufb]b[ #]i h'Xck b# 'YVW'VW' h'f]dL  
@c'WV'gYh]b[ 'dUfUa YHfg'UbX'a cb]h'f]b[ 'Zca 'D7' hc  
V'c'bfcc' a cXi 'Y'k ]h' I G6 V'c'bbYVW]cb'fa Ul '\* 'a H'

9'YVW]VW' GUZYhm#9A 7 V'c'a dUfV] ]hm6G'9B '\* \$-) \$  
9'YVW]VW' Vi g]bYgg'Yei ]da Ybh'  
6G'9B '\*%\$!\*&9A 7 ]a a i b]mighUbXUfX"  
6G'9B '\*%\$!\*( '9A 7 Ya ]gg]cb'ghUbXUfX

'6UHYfmVUf[ Yf ]g'a Ubi ZVW' fYX'k ]h' 'gk ]h'W]b[ !a cXY'UbX'GA 8 H'VW'bc'c[ mUbX'ih\Ug\ ] [ \ YZ]VW'YbVW' 6UHYfmVUf[ Yf  
a cXY'gfci hdi hJ !=VUfUWV'f]gh]W]g'j YfmV'c'gY'hc'gei UfY'UbX'ci hdi h]g' ]'Ua dYfz% z' ]'Zcf'%&j'c'hUbX'&+Z' ]'Zcf'&'( ]'  
#bdi h% , ' !&\* ( j c'h57 "'Dfc]bY'&(\$) \Ug'Z' mci hdi hg\chVW]hdfchVW]cb'UbX'ihVWb VY i gYX'Ug'U'W'ffYbhgci fVW"  
Dfc]bY'%&\$) #&(\$) VUf[ Yf'\Ug'\ ] [ \ YZ]VW'YbVW'cb[ " ]Z'Z' 'ck ZU]i fY'fUfYz' ] [ \ hk Y] [ \ hUbX' 'ck \ YUhfUX]UfYX' ]b  
UVV'c'fXUbW'k ]h' ]'bYUf'U'HYfbU]h'j Yg' H\Y'VUf[ Yf ]g'Z]h'YX'k ]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[ Y'Z]  
fY'UmV'c' ]'VYhk Yyb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei ]ddYX'k ]h' F: =Z]Hf'hc'fYXi VV'Y'YVW]VW'bc]gY'fUX]UfYX  
Zca 'h'Y'XY'jVW'; Uj Ub]W' m]gc'UfYX' ]bdi hUbX'ci hdi h]m]d]VW'm(\_J'Zcf'\ ] [ \ fY' ]UV] ]m'

# AC 175

Cummins  
Mecc Alte  
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Lifting Points

	"	1160
fl "L	"	3402
fl "L	"	1866
	L	380