

AC 200

Cummins
Mecc Alte
P 602



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$
CE	

2000/14/EC

&\$\$\$#(#

z) \$ z'z' D:

	"	"	"	"	Amp
400/230	200,00	160,00	180,00	144,00	259,00

fPQDE GC ;) &

fDF DE %s1 % %& GC " \$(** z&(GC

Standard Specifications

z

fl ! E

z

z

ALTERNATOR

fl

fl " E

fPQ \$\$\$ \$\$\$ E

fl " \$ E

TRANSFER SWITCH

fl

AC 200

Cummins
Mecc Alte
P 602

Manufacturer		Cummins		
Model		6CTA 8,3-G2		
		% \$\$\$ "# "		
		% \$\$\$ "		
		Q(% \$\$\$ < DQ		
	L	8,300		
	"	114 x 135		
		16,8:1		
	fl # ı	"# "	1500	
	fl ı	L	23,80	
		L	27,00	
AbsorbedAirDischargeReSourceKey.Text	' # "	12,36		
	' # "	142,00		
	' # "	34,68		
	° C	563,00		
		24 V d.c.		
	Load	% \$ \$ı	'+)ı) \$ı
	# "	40,00	30,00	20,00


		Mecc Alte
		ECO 38-1SN
	Hz	50
	"	180,00
7 cg'		0,80
		3
	ıfl ı	400/230
Temperature		H

		ıfl ı		ıfl ı	
	"	"	"	"	L
AC 200	1670,00	2375,00	1150,00	1594,00	380,00
		ıfl ı		ıfl ı	
	"	"	"	"	L
AK 50	2100,00	3402	1160	1866	380

AC 200

Cummins
Mecc Alte
P 602

1 D * \$ & !



- 1 A U]b'gUhi g'X]gd'Um'
- 2 8]gd'UmgVfc''Vi hrcb''
- 3 DU[Yf]bZcfa Uhjcbk'Vi hrcb''
- 4 7 ca a cb U'Ufa]bX]WUhc''
- 5 GHUhi g'@98fg''
- 6 C dYfUhc'b'gY'YVWb['Vi hrcbg''

8G9ža cXY''\$\$'5i hc' A U]bg: U]i fy Vëbfc''a cXi 'Y'
6UHYfmVUf[Yf]'bdi h%, !&*('j c'hžci rdi h''&+ž' J) '5'f&('J Ecf'% ž' J c'h) 5'f&J k
9a Yf[YbVhrcd' di g\ 'Vi hrcb'UbX ž' gYg'Zc'fVëbfc''VfVW]hg''

7 ca dcbYbrg]bghU''YX]b'g\YYhgHY''YbWcgi fy''D\cgd\UHY'WYa]WždfY!VëUhb['cZghYY''dfcj]XYg Vëffcg]cb
fyg]ghbghi fZUW''Dc'mYgYfVëa dcg]Y' dck XYf'rcdVëUhc'Zcfa g\]] \ ['cgg'UbX'YI hYa Y'mXi fUV'Y ž]b]g\''@cV\UV'Y
UbX\]b[YX'dUbY'Xccf'dfcj]XYg YUgmUWV'gg'hc''Vëa dcbYbrg''

'7 cblfc''dUbY''j]g'a ci bHYX'cb VUgYZUa Y k]h' ghY''ghUbX''@cWUHYX'UhHAY'f[\hg]XY'cZHY [YbYfUhc'f'gyhfK \Yb'mci
'cc_'UhHAY; Yb''GYH'Zca '5'HYfbUhc'fL

H\Y''8G9''\$\$'j'g'U'ghUbXUfX'Vëbfc''a cXi 'Y'Zc'ci f [YbYfUhc'f'gYhg'i d'hc'&\$\$_J 5'UbX'ih\Ug'VYYb'XYg][bYX'hc
ghUfhUbX'ghcd'X]YgY'UbX' [Ug[YbYfUhc'f'gYhg''H\Y'8G9''\$\$'a cXi 'Y\Ug'VYYb'XYg][bYX'hc'a cb]rcf [YbYfUhc'f
ZYei YbVhžj c'žW'fYbžYb[]bY'c']dfYggi fyžVëc'UbhHYa dYfUhi fy'fi bb]b[\ci fg'UbX'VUHYfmj'c'hg''A cXi 'Y
a cb]rcf'g'hAY'a U]bg'gi dd'imUbX'gk]W'c] Yf'hc'hAY [YbYfUhc'f'k \Yb'hAY'a U]bg'dck Yf'ZU]g''H\Y'8G9''\$\$'U'gc
]bX]WUHY'g'cdYfUhc'bU'ghUhi g'UbX'ZU'i hVëbX]hcbgž'5i hca UhW'mg\i H]b['Xck b'hAY; Yb''GYhUbX' []]b['hfi Y'žfghi d
ZU'i hVëbX]hcb'cZ; Yb''GYhZU]i fy''H\Y '@8'X]gd'Um]bX]WUHY'g'hAY'ZU'i 'H'

A]WëdfcW'ggcf'Vëbfc''YX"
@7 8'X]gd'Uma U_Yg]bZcfa Uhjcb'YUgmhc'fYUX"
(!'j]bYž*('1'%'&d]]Y'X]gd'Um'

5i hca UhW'mifUbgZ'fg'VYk'YYb'a U]bg'fi H]hrc'UbX' [YbYfUhc'f'dck Yf'
A Ubi U'dfc[fUa a]b['cb'Zc'bh'dUbY''
I gYf]Z]YbX'mgYH'i d'UbX'Vi hrcb''Uhc'i H'
F Ya chY'ghUfH'
9j Ybh'c[[]b[''f] h'g\ck]b['XUHY'UbX'hYa Y''
7 cblfc'g' Ghcd#F YgYž'A Ubi U'ž5i hcžHYgžGHUfžVi hrcbg''5b'UXX]hcbU'di g\ 'Vi hrcb'bYI hrc'hAY '@7 8'X]gd'Um]g
i gYX'hc'gVfc''h'fci [\ hAY'a cXi 'Ygfa YHYf]b['X]gd'Umg''

AC 200

Cummins
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B E'
7i ffYbh f@ @ E'
: fYei YbVWt
A 5-BG
J c' hU[Y f@ @B E'
: fYei YbVWt
A U]bg'fYUXnt
A U]bg'YbUV'YX"
; Yb"GYhfYUXnt
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #][\] c' hU[Y"
: U] 'hc' ghd"
@ck #][\] [YbYfUhc'f j c' hU[Y"
I bXYf#j Yf [YbYfUhc'f ZYei YbVWt
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ Vtc'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' gUfH
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ Vtc'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf [YbYfUhc'f ZYei YbVWt
I bXYf#j Yf [YbYfUhc'f c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF D
: YbYfUhc'f j YfW ffYbH


: 'YI J'V'Y'gYbgcf'WVb VY Vcbfc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bH[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' hf'dE
@c'W' gYh]b['dUfUa YHfg'UbX'a cb]hc'f]b['Zca 'D7' hc
Vcbfc' a cXi 'Y'k]h' I G6 VcbbYVW'cb'fa Ul '* 'a H'

9'YVW'VW' GUZYhm#9A 7 'Vta dUHV']hm6G'9B '* \$-) \$
9'YVW'VW' Vi g]bYgg'Yei]da YbH
6G'9B '*%\$!*&9A 7 'ja a i b]migtUbXUfX"
6G'9B '*%\$!*('9A 7 'Ya]gg]cb'ghUbXUfX

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' gk]hVW]b[!a cXY'UbX'GA 8 'YVW'bc'c[mUbX'ih\Ug \] [\ YZVW'YbVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUW'f]gh]W]g'j YfmVcgy'hc'gei UfY'UbX'ci hdi h]g']'Ua dYfz% z 'J 'Zcf'%&j c'hUbX'&+Z' 'J 'Zcf'&'('J '
#bdi h% , ' !&* (j c'h57 "'Dfc]bY'&(\$) \Ug'Z 'mici hdi hg\chVW'VW]hdfchVW]cb'UbX'ihVWb'VY i gYX'Ug'U'W'ffYbhgci fVW"
Dfc]bY'%&\$) #&(\$) VUf[Yf'\Ug'\] [\ YZVW'YbVW'cb[']Z'Z'ck ZU]i fY'fUfYz'] [\ hk Y] [\ hUbX'ck \YUhfUX]UfYX']b
UVW'cfXUbW'k]h']bYUf'U'HYfbU]h'j Yg' H\Y'VUf[Yf]g'Z'hYX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'ZU]
fY'UmVc] VYhk Yyb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\YmUfY'Yei]ddYX'k]h' F: =Z]hYf'hc'fYXi VV'Y'YVW'VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW'; Uj Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]md]VW'm(_J 'Zcf'\] [\ fY']UV]]m'

AC 200

Cummins
Mecc Alte
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Lifting Points

	"	1160
fl "L	"	3402
fl "L	"	1866
	L	380